| Ref<br>#  | Hits | Search Query   | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|-----------|------|--|--|---------------------|---------|------------------|
| S1        | 12   | ((encrypt\$3 or encipher\$3 or cipher\$3 or encod\$3) near email) and ((decrypt\$3 or decod\$3 or decipher\$3) near email) and (account\$1 with server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2007/03/30 16:11 |
| S2        | 81   | (((encrypt\$3 or encipher\$3 or cipher\$3 or encod\$3) near email) and ((decrypt\$3 or decod\$3 or decipher\$3) near email))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2007/03/30 09:49 |
| S3        | 69   | S2 not S1  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2007/03/30 09:49 |
| S4        | 1    | ("2002/0188689").URPN.   | USPAT  | ADJ                 | ON •    | 2007/03/30 11:22 |
| S5        | 33   | secure electronic mail   | USPAT  | ADJ                 | ON      | 2007/03/30 12:52 |
| S6        | 1190 | ("microsoft.as" or ibm.as. or international business machine corp.as.) and (display or status or https or download or secure server or mail)   | USPAT  | ADJ                 | ON      | 2007/03/30 14:31 |
| <b>S7</b> | 192  | ("microsoft.as" or ibm.as. or international business machine corp.as.) and (display or status ) and (email or electronic mail or message ) and (https or secure server or host) and (communicat\$3 or transfer\$3 or send\$3 or post\$3) | USPAT  | ADJ                 | ON      | 2007/03/30 14:46 |
| S8        | 108  | ("microsoft.as" or ibm.as. or international business machine corp.as.) and ((generat\$3 or creat\$3 or compos\$3) with (package or packet or data or file)) and (electronic mail or email or mail)                                       | USPAT  | ADJ                 | ON      | 2007/03/30 14:49 |
| S9        | 55   | S8 not S7  | USPAT  | ADJ                 | ON      | 2007/03/30 14:58 |
| S10       | 1705 | email and compression  | USPAT  | ADJ                 | ON      | 2007/03/30 14:59 |
| S11       | 1048 | S10 and user interface   | USPAT  | ADJ                 | ON      | 2007/03/30 14:59 |
| S12       | 538  | S11 and (secure server or https or hyper text )  | USPAT  | ADJ                 | ON      | 2007/03/30 15:07 |

| S13 | 32    | (encrypt\$3 near email) and (decrypt\$3 near email) and (account)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/03/30 15:31 |
|-----|-------|--|--|-----|----|------------------|
| S14 | 8     | (encrypt\$3 near email) and (decrypt\$3 near email) and (account\$1 with server) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:23 |
| S15 | 2     | "7027463".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:36 |
| S16 | 48875 | (email or electronic mail ) and (sent or draft)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:39 |
| S17 | 459   | ((email or electronic mail ) near<br>encrypt\$3) and (sent or draft)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:43 |
| S18 | 91    | S17 and (server with account)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:52 |
| S19 | 2557  | (email or lectronic mail) and ( draft)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:53 |

| S20 | 543   | (email or lectronic mail) and ( draft) and compress\$3 and status  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:53 |
|-----|-------|--|--|-----|----|------------------|
| S21 | 431   | (email or lectronic mail) and ( draft) and compress\$3 and status and user interface   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 12:54 |
| S22 | 30    | (email or lectronic mail) and ( draft)<br>and compress\$3 and status and<br>(user interface) and display and<br>(server near secure) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 13:41 |
| S23 | 2     | "6769067".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 13:47 |
| S24 | 4071  | (email or electronic mail) and<br>(outlook or lotus note or groupwise<br>or eudora)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 13:55 |
| S25 | 11233 | (outlook or lotus note or groupwise or eudora)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 13:55 |
| S26 | 2     | S25 and (( email near encrypt ) or (electronic mail near encrypt)) and ( account near server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 14:08 |

4/3/2007 9:17:07 AM

| S27 | 2541 | S25 and (((generat\$3 or compos\$3 or creat\$3 or send\$3) near (package or packet or message)) and (server or host)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2007/04/01 14:17 |
|-----|------|---|--|-----|-----|------------------|
| S28 | 0    | "22020188689".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2007/04/01 14:17 |
| S29 | 2    | "20020188689".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2007/04/01 14:49 |
| S30 | 2802 | S25 and (email and stor\$3 and communicat\$3 and display\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2007/04/01 14:50 |
| S31 | 455  | S30 and encrypt and decrypt and interface   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2007/04/01 14:51 |
| S32 | 12   | S31 and server and account secure   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON  | 2007/04/01 15:34 |
| S33 | 0    | (email near encrypt) and (accont<br>near secure same server) and<br>(store near account)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON. | 2007/04/01 16:38 |

4/3/2007 9:17:07 AM

| S34 | 0 | (email near encrypt) and (account near secure same server) and (store near account) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:39 |
|-----|---|---|--|-----|----|------------------|
| S35 | 0 | (email near encrypt) (store near server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:39 |
| S36 | 9 | (email near encrypt) and (store near server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:44 |
| S37 | 0 | (email near encrypt) and (user input near interface)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:45 |
| S38 | 0 | (email near encrypt) and (download and comprss\$3)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:50 |
| S39 | 2 | "5805810".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:51 |
| S40 | 2 | "20060143570".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/04/01 16:54 |

| S41 | 2  | "20020002590".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;            | ADJ   | ON | 2007/04/01 17:13 |
|-----|----|---|--|-------|----|------------------|
| S42 | 1  | (email near encrypt)and ((message<br>or package or email or mail ) near<br>draft) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ   | ON | 2007/04/01 17:16 |
| 543 |    | (email near encrypt)and (stor\$3 near draft)                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ   | ON | 2007/04/02 07:07 |
| S44 | 2  | "5675733".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ ' | ON | 2007/04/02 08:05 |
| S45 | 0  | (email near encrypt\$3) and (display\$3 near (package same addressee))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ   | ON | 2007/04/02 08:10 |
| S46 | 1  | (email near encrypt\$3) and (display\$3 near addressee)                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ   | ON | 2007/04/02 08:11 |
| S47 | 39 | (email near encrypt\$3) and (display\$3 near ( receive\$1 or addressee))          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | ADJ   | ON | 2007/04/02 16:54 |

|  | r encrypt\$3) with (https<br>protocol or secure layer) US-PGPUE<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO<br>DERWENT<br>IBM TDB |  | ON | 2007/04/02 17:00 |
|--|--|--|----|------------------|
|--|--|--|----|------------------|